

## MSCS S2/S4 系列 | 不锈钢防爆操作柱 |

### MSCS S2/S4 series Ex-proof stainless steel control station

#### ▶ 应用场合:

1 区、2 区爆炸性气体和 21 区、22 区可燃性粉尘易爆区域  
Application: Suitable for zone 1 and zone 2 under potentially explosive atmospheres, zone 21 and zone 22 under dust potentially explosive situations

防爆标志 : Ex de IIC T6 Gb Ex tD A21 IP66 T80 °C

Ex mark : Ex de IIC T6 Gb Ex tD A21 IP66 T80 °C

适用环境温度 : -20°C - +40 °C

Permissible ambient temperature : -20°C - +40 °C

额定电压 : 690V

Rated voltage : Up to 690V

额定电流 : 16A

Rated current : 16A

防护等级 : IP66

Degree of protection: IP66

壳体材质 : 不锈钢 304 316L


Enclosure material: Stainless steel 304 316L

#### ▶ 货号: MSCS S2 Ordering No.: MSCS S2

尺寸 : 166x140x76 mm    Size: 166x140x76 mm  
壳体重量 : 1.4kg    Enclosure weight : 1.4 kg  
组件布置 : 两个安装位    Mounting area: 2 components

#### ▶ 货号: MSCS S4 Ordering No.: MSCS S4


尺寸 : 286x140x76 mm    Size: 286x140x76 mm  
壳体重量 : 2.1 kg    Enclosure weight : 2.1 kg  
组件布置 : 四个安装位    Mounting area: 4 components



## MSCS S2 系列 | 不锈钢防爆操作柱 |

### MSCS S2 series Ex-proof stainless steel control station

组合实例 Assemble example



#### 描述 Discription

- $\begin{matrix} 13 & 21 \\ | & | \\ I E & 0 E \\ | & | \\ 14 & 22 \end{matrix}$
- 1x 双按钮
  - 1 NO +1 NC
  - 1x 蘑菇头急停按钮
  - 1 NO +1 NC
  - 1x double pushbutton
  - 1 NO +1 NC
  - 1x mushroom-head pushbutton
  - 1 NO +1 NC
  - 重量 Weight approx. 1.80 KG

#### 描述 Discription

- $1 \text{---} \square \text{---} 2$
- $\begin{matrix} 13 & 21 \\ | & | \\ I E & 0 E \\ | & | \\ 14 & 22 \end{matrix}$
- 1x 电流表
  - 1x 双按钮
  - 1 NO +1 NC
  - 1x measuring instrument
  - 1x mushroom-head pushbutton
  - 1 NO +1 NC
  - 重量 Weight approx. 1.85 KG

#### 描述 Discription

- $X1 \text{---} \otimes \text{---} X2$
- $\begin{matrix} 13 & 21 \\ | & | \\ I E & 0 E \\ | & | \\ 14 & 22 \end{matrix}$
- 1x 指示灯
  - 1x 双按钮
  - 1 NO +1NC
  - 1 x signal lamp
  - 1x double pushbutton
  - 1 NO +1NC
  - 重量 Weight approx. 1.85 KG

#### 描述 Discription

- $\begin{matrix} 13 & 21 \\ | & | \\ E & \text{---} \\ | & | \\ 14 & 22 \end{matrix}$
- $\begin{matrix} 13 & 21 \\ | & | \\ E & \text{---} \\ | & | \\ 14 & 22 \end{matrix}$
- 2x 单按钮
  - 1 NO +1 NC
  - 2x pushbutton
  - 1 NO +1 NC
  - 重量 Weight approx. 1.85 KG



## MSCS S4 系列 | 不锈钢防爆操作柱

### MSCS S4 series Ex-proof stainless steel control station

#### 组合实例 Assemble example

#### 描述 Discription



#### 描述 Discription



#### 描述 Discription



#### 描述 Discription

